

Cat Piss

	Test: Dry Weight Potency	Reported: 31Mar2026	USDA License: NA
Matrix: Plant	Test ID: T000301781	Started: 27Mar2026	Sampler ID: NA
	Method(s): TM14 (HPLC-DAD) \ TM21 (Karl Fischer)	Received: 25Mar2026	Status: NA

Cannabinoids	LOD (%)	LOQ (%)	Dry Weight Result (%)	MU Range (%)	Notes
Cannabichromene (CBC)	0.019	0.068	ND	ND	
Cannabichromenic Acid (CBCA)	0.017	0.063	0.339	0.313 - 0.365	
Cannabidiol (CBD)	0.074	0.189	ND	ND	
Cannabidiolic Acid (CBDA)	0.076	0.193	ND	ND	
Cannabidivarin (CBDV)	0.018	0.045	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.032	0.081	ND	ND	
Cannabigerol (CBG)	0.011	0.039	0.086	0.079 - 0.093	
Cannabigerolic Acid (CBGA)	0.044	0.162	0.537	0.495 - 0.579	
Cannabinol (CBN)	0.014	0.051	ND	ND	
Cannabinolic Acid (CBNA)	0.030	0.111	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.052	0.193	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.048	0.176	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.042	0.156	33.094	30.536 - 35.652	
Tetrahydrocannabivarin (THCV)	0.010	0.035	0.053	0.049 - 0.057	
Tetrahydrocannabivarinic Acid (THCVA)	0.037	0.137	0.187	0.173 - 0.201	
Total Cannabinoids			34.296	31.623 - 36.969	
Total Potential THC			29.023	26.780 - 31.267	

Final Approval



Judith Marquez
01Apr2026
08:24:00 PM MDT

PREPARED BY / DATE



Sam Smith
01Apr2026
08:31:00 PM MDT

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/80ed1372-9d20-4637-b2df-0cf51a66b434>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Percentage of Delta 9-THC on a dry weight basis = The percentage of Delta 9-THC by weight in cannabis item after excluding all moisture from the item. Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)). Fail equates to a concentration level of Delta 9-THC, on a dry weight basis, higher than 0.3 percent + or - the measurement uncertainty.

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
80ed13729d204637b2df0cf51a66b434.1