

## CERTIFICATE OF ANALYSIS

## **Gello Shotz**

	Test:  Dry Weight Potency	Reported: <b>24Nov2024</b>	USDA License: NA
Matrix: Plant	Test ID: T000293980	Started: 22Nov2024	Sampler ID: NA
	Method(s): TM14 (HPLC-DAD) \ TM21 (Karl Fischer)	Received: 18Nov2024	Status: NA

		<b>Dry Weight</b>							
<b>LOD</b> (%)	<b>LOQ</b> (%)	Result (%)	MU Range (%)	Notes					
0.017	0.050	ND	ND	Dried Sample Moisture					
0.015 0.041 0.042	0.046 0.147 0.150	0.780 ND ND	0.720 - 0.840 ND ND	Content = 77.5%  Measurement  Uncertainty = 7.73%  Results generated  using a non-validated, non-compliant method.  For informational purposes only.					
					0.010	0.035	ND	ND	
					0.018	0.063	ND	ND	
0.010 0.040 0.012	0.028 0.119 0.037	0.102 ND ND	0.094 - 0.110 ND ND						
					0.027	0.081	ND	ND	
					0.048	0.141	ND	ND	
0.043	0.128	ND	ND						
0.038	0.114	37.831	34.907 - 40.755						
0.009	0.026	ND	ND						
0.034	0.100	0.231	0.213 - 0.249						
		38.944	35.922 - 41.966	_					
		33.178	30.613 - 35.742						
	0.017 0.015 0.041 0.042 0.010 0.018 0.010 0.040 0.012 0.027 0.048 0.043 0.038 0.009	0.017     0.050       0.015     0.046       0.041     0.147       0.042     0.150       0.010     0.035       0.018     0.063       0.010     0.028       0.040     0.119       0.012     0.037       0.027     0.081       0.048     0.141       0.043     0.128       0.038     0.114       0.009     0.026	LOD (%)         LOQ (%)         Result (%)           0.017         0.050         ND           0.015         0.046         0.780           0.041         0.147         ND           0.042         0.150         ND           0.010         0.035         ND           0.018         0.063         ND           0.010         0.028         0.102           0.040         0.119         ND           0.012         0.037         ND           0.027         0.081         ND           0.048         0.141         ND           0.043         0.128         ND           0.038         0.114         37.831           0.009         0.026         ND           0.034         0.100         0.231           38.944	LOD (%)         LOQ (%)         Result (%)         MU Range (%)           0.017         0.050         ND         ND           0.015         0.046         0.780         0.720 - 0.840           0.041         0.147         ND         ND           0.042         0.150         ND         ND           0.010         0.035         ND         ND           0.018         0.063         ND         ND           0.010         0.028         0.102         0.094 - 0.110           0.040         0.119         ND         ND           0.012         0.037         ND         ND           0.027         0.081         ND         ND           0.048         0.141         ND         ND           0.043         0.128         ND         ND           0.038         0.114         37.831         34.907 - 40.755           0.009         0.026         ND         ND           0.034         0.100         0.231         0.213 - 0.249           38.944         35.922 - 41.966					

**Final Approval** 

PREPARED BY / DATE

Sam Smith 24Nov2024 06:53:00 AM MST

Karen Winternheimer 24Nov2024 06:54:00 AM MST

APPROVED BY / DATE

https://results.botanacor.com/api/v1/coas/uuid/e0ab6494-b893-48e6-9c1c-3bab3e013403

## Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Percentage of Delta 9-THC on a dry weight basis = The percentage of Delta 9-THC by weight in cannabis item after excluding all moisture from the item. Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDa \*(0.877)). Fail equates to a concentration level of Delta 9-THC, on a dry weight basis, higher than 0.3 percent + or - the measurement uncertainty.

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.





Cert #4329.02 e0ab6494b89348e69c1c3bab3e013403.1